



**IKATES, s.r.o.**  
Tolstého 186, 415 03 Teplice, Czech Republic  
RegNo.(IČO) : 25032836  
CERTIFICATION BODY No.3065  
accredited by Czech Accreditation Institute o.p.s.



ISSUES

## CERTIFICATE OF PRODUCT

No. CA-1/2019

**TO THE APPLICANT :** Crystalex CZ, s.r.o.

Masarykovo nábřeží 236/30  
110 00 Praha 1–Nové Město, Czech Republic  
Reg.No. : 285 42 673

**FOR THE PRODUCT :** Utility and beverage glass from crystal glass melt crystallin (identification)

**(Cristallin), mechanically formed, smooth or decorated**  
On the mouth edge decorated with preparations of precious metals and decorative materials free of harmful substances (lead and cadmium) only

**PRODUCER :**

Crystalex CZ, s.r.o. Masarykovo nábřeží 236/30  
110 00 Praha 1–Nové Město, Czech Republic  
plant Nový Bor, Bedřicha Egermannna 634, 473 13 Nový Bor  
plant Karolinka, Vsetínská 78, 756 05 Karolinka

**CONCLUSION:**

Above mentioned certification body confirms due this certificate **the conformity** of properties of the product samples with requirements of:

**ČSN 70 8005:1993 Utility glass - Common provisions (incl. Amdt. 1 and 2) – internal stress, hydrolytic resistance, leach from the products surface (lead and cadmium content, health unobjectionability)**

**ISO 7086-2 :2000 Glass hollowware in contact with food - Release of lead and cadmium - Part 2: Permissible limits – leach from the products surface (lead and cadmium content, health unobjectionability)**

**DIN 51 032:1986 Ceramics, glass, glass ceramics, vitreous enamels; permissible limits for the release of lead and cadmium from articles intended for use in contact with foodstuffs – leach from the products surface (lead and cadmium content, health unobjectionability)**

**BS 6748:1986 Specification for limits of metal release from ceramic ware, glassware, glass ceramic ware and vitreous enamel ware – leach from the products surface (lead and cadmium content, health unobjectionability)**


**GOST 30407:1996 Tableware and decorative glass products – leach from the products surface (lead and cadmium content, health unobjectionability)**

**Ministry of Health decree No.38/2001 Coll. as amended, Annex No.9, Section 1 – leach from the products surface (lead and cadmium content, health unobjectionability)**

Concurrently is submitted, that the producer has ensured assumptions for continual quality assurance of certified products in the plant.

Date of issue : 2019-01-16

Validity until: 2022-01-16



.....  
Lubomír Hnilička  
manager of certification body

Integral part of this certificate is Certification Report No. CA-01/2019 from 2019-01-16. This certificate should be used and reproduced without changes and with all appendices only. The certificate was issued according to certification scheme No.5 in ČSN EN ISO/IEC 17067:2014